

NUMERO DE CATALOGO	MODELO	N° Polos	Capacidad Amp	Capacidad de cortocircuito en kArms				PRECIOS	<i>RESIDENCIAL TQC</i>
				120 VAC	240 VAC	480 VAC	600 VAC		
IN2711015	TQC1215WL	1	15	10	10	-	-		
IN2711020	TQC1220WL	1	20	10	10	-	-		
IN2711030	TQC1230WL	1	30	10	10	-	-		
IN2711040	TQC1240WL	1	40	10	10	-	-		
IN2711050	TQC1250WL	1	50	10	10	-	-		
IN2711060	TQC1260WL	1	60	10	10	-	-		
IN2711070	TQC1270WL	1	70	10	10	-	-		
IN2712015	TQC2415WL	2	15	10	-	-	-		
IN2712020	TQC2420WL	2	20	10	-	-	-		
IN2712030	TQC2430WL	2	30	10	-	-	-		
IN2712040	TQC2440WL	2	40	10	-	-	-		
IN2712050	TQC2450WL	2	50	10	-	-	-		
IN2712060	TQC2460WL	2	60	10	-	-	-		
IN2712070	TQC2470WL	2	70	10	-	-	-		
IN2712090	TQC2490WL	2	90	10	-	-	-		
IN2712100	TQC24100WL	2	100	10	-	-	-		
IN2713015	TQC34015WL	3	15	-	10	-	-		
IN2713020	TQC34020WL	3	20	-	10	-	-		
IN2713030	TQC34030WL	3	30	-	10	-	-		
IN2713040	TQC34040WL	3	40	-	10	-	-		
IN2713050	TQC34050WL	3	50	-	10	-	-		
IN2713060	TQC34060WL	3	60	-	10	-	-		
IN2713070	TQC34070WL	3	70	-	10	-	-		
IN2713090	TQC34090WL	3	90	-	10	-	-		
IN2713100	TQC34100WL	3	100	-	10	-	-		
NUMERO DE CATALOGO	MODELO	N° Polos	Capacidad Amp	Capacidad de cortocircuito en kArms				PRECIOS	<i>INDUSTRIAL TQD</i>
ING052125	TQD22125WL	2	125	10	10	-	-		
ING052150	TQD22150WL	2	150	10	10	-	-		
ING052175	TQD22175WL	2	175	10	10	-	-		
ING052200	TQD22200WL	2	200	10	10	-	-		
ING052225	TQD22225WL	2	225	10	10	-	-		
ING053125	TQD32125WL	3	125	-	10	-	-		
ING053150	TQD32150WL	3	150	-	10	-	-		
ING053175	TQD32175WL	3	175	-	10	-	-		
ING053200	TQD32200WL	3	200	-	10	-	-		
ING053225	TQD32225WL	3	225	-	10	-	-		
NUMERO DE CATALOGO	MODELO	N° Polos	Capacidad Amp	Capacidad de cortocircuito en kArms				PRECIOS	<i>INDUSTRIAL TJK</i>
INE06A3250	TJD432250WL	3	250	-	22	-	-		
INE06A3300	TJD432300WL	3	300	-	22	-	-		
INE06A3350	TJD432350WL	3	350	-	22	-	-		
INE06A3400	TJD432400WL	3	400	-	22	-	-		
INE07A3125	TFK236125	3	125	-	25	22	-		
INE07A3150	TFK236150	3	150	-	25	22	-		
INE07A3175	TFK236175	3	175	-	25	22	-		
INE07A3200	TFK236200	3	200	-	25	22	-		
INE07A3225	TFK236225	3	225	-	25	22	-		
INE08A3250	TJK436250	3	250	-	42	30	-		
INE08A3300	TJK436300	3	300	-	42	30	-		
INE08A3350	TJK436350	3	350	-	42	30	-		
INE08A3400	TJK436400	3	400	-	42	30	-		
INE08A3500	TJK636500	3	500	-	42	30	-		
INE08A3600	TJK636600	3	600	-	42	30	-		
INE09A3700	TKMA836700	3	700	-	42	30	-		
INE09A3800	TKMA836800	3	800	-	42	30	-		
INE09A1000	TKMA31000WL	3	1000	-	42	30	-		
INE09A1200	TKMA31200WL	3	1200	-	42	30	-		

NUMERO DE CATALOGO	MODELO	N° Polos	Capacidad Amp	Capacidad de cortocircuito en kArms				PRECIOS	<i>INDUSTRIAL THED</i>
				120 VAC	240 VAC	480 VAC	600 VAC		
ING033015	THED136015WLB	3	15	-	65	25	18		
ING033020	THED136020WLB	3	20	-	65	25	18		
ING033030	THED136030WLB	3	30	-	65	25	18		
ING033040	THED136040WLB	3	40	-	65	25	18		
ING033050	THED136050WLB	3	50	-	65	25	18		
ING033060	THED136060WLB	3	60	-	65	25	18		
ING033070	THED136070WLB	3	70	-	65	25	18		
ING033090	THED136090WLB	3	90	-	65	25	18		
ING033100	THED136100WLB	3	100	-	65	25	18		
ING033125	THED136125WLB	3	125	-	42	25	18		
ING033150	THED136150WLB	3	150	-	42	25	18		
NUMERO DE CATALOGO	MODELO	N° Polos	Capacidad Amp	Ajuste magnético Amp	Cap cort. kArms		PRECIOS	<i>PROTECTOR DE MOTOR</i>	
					240VAC	480VAC			
ING043003	TEC36003	3	3	8...38	10	10			
ING043007	TEC36007	3	7	18...90	10	10			
ING043015	TEC36015	3	15	42...198	10	10			
ING043030	TEC36030	3	30	90...390	10	10			
ING043050	TEC36050	3	50	180...660	10	10			
ING043100	TEC36100	3	100	300...1300	10	10			
ING043150	TEC36150	3	150	600...2700	10	10			
MAG-BREAK TEC									
NUMERO DE CATALOGO	MODELO	N° Polos	Capacidad Amp	Ajuste magnético Amp	Cap cort. kArms		PRECIOS	<i>PROTECTOR DE MOTOR</i>	
					240VAC	480VAC			
ING044003	SELA-AI-3	3	3	11...39	100	65			
ING044007	SELA-AI-7	3	7	22...90	100	65			
ING044015	SELA-AI-15	3	15	43...182	100	65			
ING044020	SELA-AI-20	3	20	58...254	100	65			
ING044030	SELA-AI-30	3	30	87...415	100	65			
ING044040	SELA-AI-040	3	40	118...501	100	65			
ING044050	SELA-AI-050	3	50	148...637	100	65			
ING044060	SELA-AI-060	3	60	178...777	100	65			
ING044070	SELA-AI-070	3	70	206...863	100	65			
ING044090	SELA-AI-090	3	90	267...1138	100	65			
ING044100	SELA-AI-100	3	100	297...1280	100	65			
ING044125	SELA-AI-125	3	125	374...1640	100	65			
ING044150	SELA-AI-150	3	150	450...1991	100	65			
ING044200	SFLA-AI-200	3	200	590...2000	100	65			
ING044250	SFLA-AI-250	3	250	736...2500	100	65			
ING044300	SGLA-AI-300	3	300	905...3060	100	65			
ING044350	SGLA-AI-350	3	350	1060...3570	100	65			
ING044400	SGLA-AI-400	3	400	1210...4080	100	65			
MAG-BREAK SPECTRA									
NUMERO DE CATALOGO	MODELO	N° Polos	Capacidad Amp	Ajuste magnético Amp	Cap cort. kArms		PRECIOS	<i>SERIE SPECTRA</i>	
					240VAC	480VAC			
ING0620015	SEHA36AT0030	3	15	43...182	65	25			
ING0620020	SEHA36AT0030	3	20	58...254	65	25			
ING0620030	SEHA36AT0030	3	30	87...415	65	25			
ING0620040	SEHA36AT0060	3	40	118...501	65	25			
ING0620050	SEHA36AT0060	3	50	148...637	65	25			
ING0620060	SEHA36AT0060	3	60	178...777	65	25			
ING0620070	SEHA36AT0100	3	70	206...863	65	25			
ING0620090	SEHA36AT0100	3	90	267...1138	65	25			
ING0620100	SEHA36AT0100	3	100	297...1280	65	25			
ING0620125	SEHA36AT0150	3	125	374...1640	65	25			
ING0620150	SEHA36AT0150	3	150	450...1991	65	25			
SERIE SPECTRA COMPLETA									
NUMERO DE CATALOGO	MODELO	Tipo de Frame	N° Terminales	Capacidad Amp	Rango de Cable		PRECIOS	<i>TERMINALES</i>	
					Cu	Al			
ING1510018	TCAL18	SE150	1	150	12-3/0	12-3/0			
ING1510029	TCAL29	SF250	1	250	8-350 kcmil	8-350 kcmil			
ING1510081	TCAL81	SK1200	1	800	3/0-500 kcmil	3/0-500 kcmil			
ING1510121	TCAL121	K1200	1	1200	250-350 kcmil	300-500 Kcmil			
ING1510125	TCAL125	SK1200	1	1200	250-500 kcmil	250-500 kcmil			
ING1510365	TCLK365	SG600	3	600	8-600 kcmil	8-600 kcmil			

INTERRUPTORES TERMOMAGNETICOS

NUMERO DE	MODELO	N° Polos	Capacidad Amp	Capacidad de cortocircuito en kArms				PRECIOS	<i>SERIE SPECTRA</i>
				120 VAC	240 VAC	480 VAC	600 VAC		
ING0630250	SFHA36AT0250	3	70 ~ 250	-	65	35	22		
ING0630402	SGDA32AT0400	3	125 ~ 400	-	65	-	-		
ING0630400	SGHA36AT0400	3	125 ~ 400	-	65	35	25		
ING0630600	SGHA36AT0600	3	250 ~ 600	-	65	35	25		
ING0630800	SKHA36AT0800	3	300 ~ 800	-	65	50	25		
ING0631200	SKHA36AT1200	3	600 ~ 1200	-	65	50	25		
ING0630030	SELA36AT0030	3	15, 20, 30	-	100	65	25		
ING0630060	SELA36AT0060	3	40, 50, 60	-	100	65	25		
ING0630100	SELA36AT0100	3	70, 90, 100	-	100	65	25		
ING0630150	SELA36AT0150	3	125, 150	-	100	65	25		
ING0630251	SFLA36AT0250	3	70 ~ 250	-	100	65	25		
ING0630403	SGLA36AT0400	3	125 ~ 400	-	100	65	65		
ING0630601	SGLA36AT0600	3	250 ~ 600	-	100	65	65		
ING0630801	SKLA36AT0800	3	300 ~ 800	-	100	65	42		



FRAME SPECTRA

NUMERO DE CATALOGO	MODELO	SENSOR Amp	Corriente nominal (Amp)	Ajuste disparo instantáneo (Amp)	PRECIOS	<i>SERIE SPECTRA</i>
ING07030020	SRPE30A20	30	20	58-254		
ING07030030	SRPE30A30	30	30	87-415		
ING07060040	SRPE60A40	60	40	118-501		
ING07060050	SRPE60A50	60	50	148-637		
ING07060060	SRPE60A60	60	60	178-777		
ING07100070	SRPE100A70	100	70	206-863		
ING07100090	SRPE100A90	100	90	267-1138		
ING07100100	SRPE100A100	100	100	297-1280		
ING07150125	SRPE150A125	150	125	374-1640		
ING07150150	SRPE150A150	150	150	450-1991		
ING07250125	SRPF250A125	250	125	370-1250		
ING07250150	SRPF250A150	250	150	440-1500		
ING07250175	SRPF250A175	250	175	515-1750		
ING07250200	SRPF250A200	250	200	590-2000		
ING07250225	SRPF250A225	250	225	665-2250		
ING07250250	SRPF250A250	250	250	736-2500		
ING07400200	SRPG400A200	400	200	605-2040		
ING07400225	SRPG400A225	400	225	680-2295		
ING07400250	SRPG400A250	400	250	755-2550		
ING07400300	SRPG400A300	400	300	905-3060		
ING07400350	SRPG400A350	400	350	1060-3570		
ING07400400	SRPG400A400	400	400	1210-4080		
ING07600350	SRPG600A350	600	350	1070-3545		
ING07600450	SRPG600A450	600	450	1375-4555		
ING07600500	SRPG600A500	600	500	1525-5060		
ING07600600	SRPG600A600	600	600	1830-6075		
ING07800600	SRPK800A600	800	600	1875-6195		
ING07800700	SRPK800A700	800	700	2155-7420		
ING07800800	SRPK800A800	800	800	2440-8705		
ING07931000	SRPK1200A1000	1200	1000	3040-10180		
ING07931200	SRPK1200A1200	1200	1200	3650-12215		



RATING PLUG




MAGNETOTERMICOS FORMATO IEC


IEC 60947-2 / Curva de disparo "C"



NUMERO DE CATALOGO	MODELO	POLOS	AMP	Tensión Vac	Icc (kA)	PRECIOS
INSDU102	MDW-C2	1	2	440	1,5	
INSDU104	MDW-C4	1	4	440	1,5	
INSDU106	MDW-C6	1	6	440	5	
INSDU110	MDW-C10	1	10	440	5	
INSDU116	MDW-C16	1	16	440	5	
INSDU120	MDW-C20	1	20	440	5	
INSDU125	MDW-C25	1	25	440	5	
INSDU132	MDW-C32	1	32	440	5	
INSDU138	E6000	1	38	440	3	
INSDU140	MDW-C40	1	40	440	5	
INSDU147	E6000	1	47	440	3	
INSDU150	MDW-C50	1	50	440	5	
INSDU201	E6000	2	1	440	6	
INSDU202	MDW-C2-2	2	2	440	5	
INSDU203	E6000	2	3	440	6	
INSDU204	MDW-C4-2	2	4	440	1,5	
INSDU206	MDW-C6-2	2	6	440	5	
INSDU208	E6000	2	8	440	6	
INSDU210	MDW-C10-2	2	10	440	5	
INSDU216	MDW-C16-2	2	16	440	5	
INSDU220	MDW-C20-2	2	20	440	5	
INSDU225	MDW-C25-2	2	25	440	5	
INSDU232	MDW-C32-2	2	32	440	5	
INSDU238	E6000	2	38	440	6	
INSDU240	MDW-C40-2	2	40	440	5	
INSDU247	E6000	2	47	440	6	
INSDU250	MDW-C50-2	2	50	440	5	
INSDU302	MDW-C2-3	3	2	440	1,5	
INSDU304	MDW-C4-3	3	4	440	1,5	
INSDU305	E6000	3	5	440	6	
INSDU306	MDW-C6-3	3	6	440	5	
INSDU308	E6000	3	8	440	6	
INSDU310	MDW-C10-3	3	10	440	5	
INSDU315	E6000	3	15	440	6	
INSDU316	MDW-C16-3	3	16	440	5	
INSDU320	MDW-C20-3	3	20	440	5	
INSDU325	MDW-C25-3	3	25	440	5	
INSDU332	MDW-C32-3	3	32	440	5	
INSDU338	E6000	3	38	440	6	
INSDU340	MDW-C40-3	3	40	440	5	
INSDU347	E6000	3	47	440	6	
INSDU350	MDW-C50-3	3	50	440	5	
INSDU400	1NA + 1NC					Contactos AUX para interruptores SDU E6000
INSDU411	1NA + 1NC					Contactos AUX para interruptores SDU E6000
INSDU412	1NA + 1NC					Contactos AUX para interruptores SDU E6000



Dimensiones



Curvas de disparo